No.	County	Region	Anthracnose (date, value, level), 5-day index summary (risk)^	Bacterial spot (date, value, level), 7-day index summary (risk)^	Alternaria leaf spot (date, value, level), 7-day index summary (risk)^	
1	Butte	West	0	0	5-26 to 5-27 (1, 1) Low risk; 7-day index = 2, increasing	
2	Colusa	East	0	0	5-26 to 5-28 (1, 1, 1) Low risk; 7-day index = 3, increasing	
3	Fresno	Central	0	0	0	
4	Fresno	East	0	0	0, Low risk; 7-day index= 2 to 1, decreasing	
5	Fresno	West	0	0	0	
6	Kern	Central	0	0	0, Low risk; 7-day index= 4 to 3, decreasing	
7	Kern	East	0	0	0	
8	Kern	West	5-26 (5.59) High risk; 7-day index= 13.4 to 5.59, decreasing	0	0	
9	Madera	Central	0	0	0	
10	Merced	Central	0	0	0	
11	Stanislaus	Central	0	0	0	
12	Stanislaus	East	0	0	0	
13	Stanislaus	West	0	0	0	

^{* - 5-} and 7-day forecasts are based on temperature (inside- and outside-canopy measurements), precipitation, and leaf wetness which are powered by the Semios® precision farming platform.

Note: In this updated table, the order of some regions was changed from previous reports to match the RADAR on-line report and to minimize errors in the summary table.

Industry Advisory - Summary for Selected Almond Growing Regions

For the coming week, zero risk is forecasted for bacterial spot in all regions (Table 1). Anthracnose is forecasted with a high risk in Kern-W with accumulated risk at 5.59 on 5-26 due to forecasted precipitation (1.34 mm). All other regions have 0 risk for anthracnose. For Alternaria leaf spot, most regions will have zero risk; low risk is forecasted for Butte-W and Colusa-E with accumulated daily wetness hours of 2 h and 3 h, respectively, for the week ahead.

Overall, the forecasts are subjected to the amount and duration of precipitation (leading to leaf wetness) and realized temperatures. Forecasted temperatures are remaining relatively cool to moderately warm (17.4 to 29.4C) in all regions for the next week. Low precipitation is only forecasted for Kern-W for the coming week and this triggered the anthracnose high risk alert that is precautionary. Overall, disease pressure will be low for most almond growing regions of the state (Table 2).

The website https://www.ag-radar.com (password: Almondboard2022) displays actual and forecasted disease risk assessments for each region. Because these are regional forecasts, precipitation may vary with region and differ for the forecasted rainfall. Please check https://www.ag-radar.com for up to date daily forecasts. Historical records and experience for specific locations should be considered. This advisory will be updated weekly.

"2022 Fungicide Efficacy Tables" were posted at http://ipm.ucanr.edu/PDF/PMG/fungicideefficacytiming.pdf on 3-21-22 and at https://cfn-fungicides.ucr.edu/efficacy-tables on 5-1-22.

Note: Maps for all regions listed in Tables 1 and 2 are provided in Figs. 1 to 3.

^{^ -} Numerical risk is scaled as follows: 0 = no risk, 1 = action threshold (Note: values may exceed 1 due to hourly accumulations).

Table 2. Forecasted weather for Thursday, May 26 through Wednesday, June 1, 2022*

No.	County	Region	Date	Avg Temp (in canopy) °C	Avg Humidity (%)	Precip. (mm)	Leaf Wetness (hours/day)
1	Butte	West	5-6 to 6-1	22.7 to 29.4	23.4 to 57.8	0	8, 6, 1 h (5-26 to 5-28)
2	Colusa	East	5-6 to 6-1	20.8 to 27.5	26.7 to 54.3	0	10, 5, 9 h (5-26 to 5-28); 1 h (6-1)
3	Fresno	Central	5-6 to 6-1	19.1 to 25.3	28.6 to 51.7	0	0
4	Fresno	East	5-6 to 6-1	19.1 to 25.5	26.9 to 48.2	0	0
5	Fresno	West	5-6 to 6-1	19.1 to 27.9	25.2 to 43.5	0	0
6	Kern	Central	5-6 to 6-1	17.4 to 24	23.6 to 45.2	0	9 h (5-26)
7	Kern	East	5-6 to 6-1	18.1 to 25.0	24.1 to 48.5	0	0
8	Kern	West	5-6 to 6-1	21.0 to 24.6	26.3 to 43.0	1.34	0
9	Madera	Central	5-6 to 6-1	17.9 to 25.4	19.8 to 52.3	0	0
10	Merced	Central	5-6 to 6-1	18.4 to 24.1	31.1 to 53.6	0	7 h (5-28)
11	Stanislaus	Central	5-6 to 6-1	18.3 to 24.2	32.0 to 57.6	0	5, 8, 10 h (5-26 to 5-28); 3, 4 h (5-30, 5-31)
12	Stanislaus	East	5-6 to 6-1	18.4 to 24.5	32.1 to 57.4	0	5, 9, 11, 4, 6, 3, 1 h (5- 26 to 6-1)
13	Stanislaus	West	5-6 to 6-1	18.6 to 25.1	27.4 to 57.6	0	6, 7, 8 h (5-26 to 5-28)

Note: In this table, the order of regions is the same as Table 1 and was generated using the RADAR on-line forecasted report powered by the Semios[®] precision farming platform. The ranges of average temperatures, relative humidity values, precipitation, and leaf wetness are not sequential with dates, but the high and low values are within the forecasted week.

Fig. 1. Maps of counties and regions (alphabetically listed).




Fig. 2. Maps of counties and regions (alphabetically listed).

Kern East Kern Central Kern West Madera Central

Fig. 3. Maps of counties and regions (alphabetically listed).

